



≈ LIFESAVER SINCE 1920 ≈

# LEISURE & PROFESSIONAL COLLECTION 2024





### CATEGORIES LEISURE

According the PPE (EU) 2016/425 Regulation "Personal protective Equipment"



#### BUOYANCY AID 50N - ISO 12402-5

Only suitable for use by capable swimmers and should only be used at or on sheltered waters where help is rapidly available. Not safe in case of unconsciousness. NOT A LIFEJACKET! For users of 30 kg and over. The 50N Buoyancy

Aid is perfectly suited to situations demanding extensive freedom of movement, such as: (dinghy) sailing, canoeing / kayaking, water/jet skiing, fishing / hunting.



#### **LIFEJACKET 100N - ISO 12402-4**

Suitable for use at or on inland and sheltered waters. Offers limited safety in case of unconsciousness and when wearing waterproof clothing. Suitable for children (from only a few months old) and adults at or on inland and sheltered waters

during normal weather conditions and wearing light clothing. Offers good protection for both swimmers and non-swimmers. The 100N lifejackets are designed to turn an unconscious user onto his/her back to keep the airways clear of the water.



#### LIFEJACKET 150N - ISO 12402-3

For swimmers and non-swimmers. Suitable for use at or on open and coastal waters (offshore use). Offers limited safety in case of unconsciousness when wearing heavy, waterproof clothing. This lifejacket is an advanced design offering enhanced buoyancy for serious yachtsmen, swimmers and non-swimmers. Suitable for children and adults at or on open and coastal waters in heavy weather conditions and when wearing light (rain) clothing. The 150N lifejackets are designed to turn an unconscious user onto his/her back to keep the airways clear of the water.



#### LIFEJACKET 275N - ISO 12402-2

Ideal for use with heavy, waterproof clothing at or on the sea in extremely heavy weather conditions. Safe for use in the case of unconsciousness under almost all conditions.

#### Please note:

A lifejacket or buoyancy aid will only be effective when:

- you have chosen the right category and model according the kind of use you want it for
- you have chosen the right size according the weight of the wearer
- you put on wear and maintain the jacket according the enclosed manuals
- you wear the jacket each time when there is a risk of falling into the water
- you never wear it underneath your clothing/jacket
- you test the jacket before using it, so you check if the jacket works as desired and needed (teach children how to turn/ floatate in this jacket)

#### **QUALITY ASSURANCE SYSTEM & ROUTE TO CONFORMITY**

Besto has a Quality Assurance System in place to make sure that all the produced products are confirm the regulations, technical files and original test samples. This Route to Confirmity has been audited and approved by Fleetwood UK and Bureau Veritas France.

- Module E certificate "Quality assurance of the production process" against the PPE (EU) 2016/425 regulation by Fleetwood, UK.
- Module D certificate "Quality Assurance System" against the MED Directive 2014/90/EU by Bureau Veritas, France.

### CONTENTS

**Foam** 

Page 5 - 17

#### Inflatable

Page 18 - 31

• Accessories 50 - 53 • Inflatable accessories 50 - 54

Page 32 - 35

#### Professional/Solas

Page 36 - 49

• Specials 54 - 55













# Buoyancy Aids 50N Watersports & Leisure







#### **DINGHY 50N**



#### **SPECIFIC MARKS**

- High frontal cut; gives better comfort
  prevents the jacket from creeping up
  Fabric: 100% Polyester

- Light PE foam

#### ALL PURPOSE BUOYANCY AID, "BASIC STYLE"

- Light weight
- Freedom of movement
- Optimal body fit



Size	Art. no. Red	Art. no. Black	Art. no. Pink	Art. no . Aqua	Weight	Buoyancy
XSmall	20.413.031	20.413.030	20.413.011	20.413.021	30 - 40 kg	35N
Small	20.413.041	20.413.040	20.413.012	20.413.022	40 - 50 kg	40N
Medium	20.413.051	20.413.050	20.413.013	20.413.023	50 - 60 kg	40N
Large	20.413.052	20.413.060			60 - 70 kg	45N
XLarge	20.413.053	20.413.070			70+ kg	50N
XXLarge	20.413.081	20.413.080			70++ kg	50N

#### **DINGHY ZIPPER 50N**



#### **SPECIFIC MARKS**

- High frontal cut; gives better comfort
  Prevents the jacket from creeping up
  Fabric: 100% Polyester
  Light PE foam

- Strong nylon zipper

### ALL PURPOSE BUOYANCY AID, "2-COLOUR ZIPPER STYLE" As Dinghy 50N with advanced features:

- Zipper closingFashionable 2-colour design



Size	Art. no. Aqua/ Black	Art. no. Yellow/ Black	Art. no. Orange/ Black	Art. no. Black/Aqua striping	Art. no. Black/ Yellow stri- ping	Weight	Buoyancy
XS	20413231	20413131	20413130	20413211	20413241	30-40 kg	35N
S	20413232	20413141	20413140	20413212	20413242	40-50 kg	40N
М	20413233	20413151	20413150	20413213	20413243	50-60 kg	40N
L	20413234	20413161	20413160	20413214	20413244	60-70 kg	45N
XL	20413235	20413171	20413170	20413215	20413245	70+ kg	50N
XXL	20413236	20413181	20413180	20413216	20413246	70++ kg	50N







#### **PADDLER 50N**



- **SPECIFIC MARKS** Fabric: high Visible Yellow Polyester fabric
- Short and narrow model: freedom of movement
  • Light PE foam
- Front pocket
- Crotch strap: prevents jackets from creeping up

  • Strong nexus buckle

# SPECIALIZED BUOYANCY AID FOR CANOEING, KAYAKING, SUPPING AND ROWING • Ergonomic design; high freedom of movement • Easily adjustable waistbelt



Size	Art. no. Yellow/Black	Weight	Buoyancy
Child	20.413.001	25 - 40 kg	35N
Adult	20.413.002	40 + kg	40N







#### **Besto allround fit 50N**

An universal buoyancy aid (50N), for any watersport activity.





Through the open side edges the jacket can be adjusted for persons from 50 to 95 kg.

#### The bouyancy aid has:

- 3 straps with strong "Nexus" fixings
- Strong Nylon outer cover





NEW: 4 or 6 pcs in mesh bag

Art. no.	Colour	Weight	Buoyancy
20.413.091	Red	50 - 95 kg	50N
20.413.092	Blue	50 - 95 kg	50N
20.413.093	4 in bag: 2 red/2 blue	50 - 95 kg	50N
20.413.094	6 in bag: 3 red/3 blue	50 - 95 kg	50N







#### **FISHERMAN 50N**



- **SPECIFIC MARKS** Fabric: Durable 200 series Nylon coated fabricFrontal

  4 Pockets

  Hood

- Shoulder partsWater release drainStrong YKK zipper

#### SPECIALIST BUOYANCY AID "FISHING - HUNTING" STYLE

- 4 Frontal pocketsHoodShoulder sleeves



Size	Art. no. Standard	Weight	Buoyancy
S/M/L	20.428.001	40 - 70 kg	45N
XLarge	20.428.002	70+ kg	50N
XXLarge	20.428.003	70++ kg	50N







#### **ACTIVE NEO**



SPECIALIZED BUOYANCY AID "SKI - JET SKI - WAKEBOARD STYLE"

- Comfortable, soft and flexible body fit
  2 strong nexus buckles
  Engine kill D-ring





#### **SPECIAL MARKS**

- Fabric: 1.5mm soft Neoprene comfortable fabric
- fabric
  Foam: supersoft PVC foam
  Water release system
  Strong nexus zipper
  Webbing end retainers
  Splitted foam sections



Size	Art. no. Blue/Black	Weight	Buoyancy
XXS (Youth)	20.421.001	30-40 kg	40N
XS	20.421.002	40-50 kg	40N
S	20.421.003	50-60 kg	40N
М	20.421.004	60-70 kg	45N
L	20.421.005	70+ kg	50N
XL	20.421.006	70+ kg	50N
XXL	20.421.007	70+ kg	50N







#### **NEW SAILOR 50N**

The Besto Sailor is a specialized buoyancy aid for sailing where only the best is sufficient. The jacket has an exceptional high standard of finish and is manufactured with superior materials.





BESTO

- Neoprene elastic shoulders Durable nylon rip stop outer fabric Elastic side panels Strong YKK zipper 1) 2) 3) 4) 5) 6) 7) 8) 9) 10)

- Strong nexus buckle and 40mm waistbelt
- Fully elastic bottom seam
  Short design: optimal freedom of movement
  Super soft foam for more wearing comfort
  Reflective logo
  Stowage pocket
  Water release system

- Webbing-end rétainer tunnel
- 13) Removable crotch strap

Size	Art. no. Black/Orange	Weight	Buoyancy
XSmall	20.422.021	30 - 50 kg	40N
Small	20.422.022	50 - 70 kg	45N
Medium	20.422.023	70+ kg	50N
Large	20.422.024	70++ kg	50N
XLarge	20.422.025	90+ kg	50N







#### **SKI 50N**



#### SPECIALIST BUOYANCY AID "SKI - JET SKI - STYLE"

- Side foam protectionDesigned to be used at high speed





- SPECIAL MARKS
  Fabric: Durable strong nylon PU coated
  Crotch strap prevents the jacket from creeping up
  Water release drain
  Light PE foam
  3 Strong "nexus" buckles
  Engine kill D-ring

Size	Art. no. Black/Orange	Weight	Buoyancy
XSmall	20.421.021	30 - 40 kg	35N
Small	20.421.022	40 - 50 kg	40N
Medium	20.421.023	50 - 60 kg	40N
Large	20.421.024	60 - 70 kg	45N
XLarge	20.421.025	70+ kg	50N
XXLarge	20.421.026	70++ kg	50N



# Foam Lifejackets 100-150N Watersports & Leisure







#### **FAST DONNING & INLAND PASSENGER JACKET STYLE**



- **MB 100N**
- Enhanced style Two front buckles
- Big frontal opening for easy donning



#### **GULF 100N**

- Basic style
- 100N



- **GULF XT 150N**
- 150N buoyancy style
- Enhanced buoyancy

Size MB	Art. no.	Weight	Buoyancy
Child	20.415.020	20 - 30 kg	40N
Junior	20.415.030	30 - 40 kg	50N
Adult	20.415.050	40+ kg	100N

Gulf 100N	Art. no.	Weight	
Child	20.415.120	30 - 50 kg	60N
Junior	20.415.130	50 - 70 kg	80N
Adult	20.415.150	70+ kg	100N

Gulf XT 150N	Art. no.	Weight	
Adult	20.415.157	70+ kg	150N

#### **SPECIFIC MARKS**

- Easy storage
- Fast donning- emergengy jackets
- Fabric 100% polyester, UV durable

#### **GULF SET 100N**



Bag with mesh side panels

#### **SET GULF 100N**

- Basic Style
- Bag with 4 or 6 Adult jackets



**Dimensions:** 

- 4 in bag: 42x36x36 cm6 in bag: 60x40x40 cm



#### **SPECIFIC MARKS**

- Easy storageFast donning- emergengy jackets
- Fabric 100% polyester, UV durable

Size MB	Art. no.	Weight	Buoyancy
Set Gulf 4 pcs.	20.427.400	Bag with 4 Adult jackets GULF	100N
Set Gulf 6 pcs.	20.427.402	Bag with 6 Adult jackets GULF	100N



#### **ECON 100N**



#### **SPECIFIC MARKS**

- Fabric: 100% Polyester High Visible ISO EN 20471
- PE foam
- No. 1-4 Crotch strap

#### LIFEJACKET 100N "BASIC" STYLE

- Standard 100N lifejacket
- Light weight



Size	Art. no. Orange	Art. no. Yellow	Weight	Buoyancy
No 1 - Baby	20.414.000	20.410.001	5 -15 kg	30N
No 2 - Toddler	20.414.015	20.410.002	15 -20 kg	40N
No 3 - Child	20.414.020	20.410.003	20 -30 kg	40N
No 4 - Junior	20.414.030	20.410.004	30 -40 kg	50N
Small	20.414.040		40 -60 kg	70N
Medium	20.414.050		60 -70 kg	80N
Large	20.414.060		70+ kg	100N
XLarge	20.414.070		70 ++ kg	100N

#### **RACINGBELT 100N**



#### **SPECIFIC MARKS**

- Separate compartments in frontpanels for extra comfort
- Fabric: 100% Polyester High Visible ISO EN 20471
- No. 1-2 Design fabric
- Attachment strap nr. 1
- Crotch strap Nr. 1 XL
- PE foam

#### LIFEJACKET 100N "COMFORT" STYLE

- High comfort, due to splitted frontal foam section
  All sizes are equipped with a crotchstrap
  Kids: pinguin-design fabric



No. 3 - XL 77





Size	Art. no.	Art. no. Pink	Weight	Buoyancy
No 1 - Baby	20.416.000	20.416.002	5 -15 kg	30N
No 2 - Toddler	20.416.015	20.416.003	15 -20 kg	40N
No 3 - Child	20.416.020	20.416.004	20 -30 kg	40N
No 4 - Junior	20.416.030	20.416.005	30 -40 kg	50N
Small	20.416.040		40 -60 kg	70N
Medium	20.416.050		60 -70 kg	80N
Large	20.416.060		70+ kg	100N
XLarge	20.416.070		70 ++ kg	100N







#### **SPECIAL 100N**



#### LIFEJACKET 100N "PREMIUM COMFORT STYLE"

- Perfect body fit due to Airex foam and splitted front section
  All sizes are equipped with a double crotchstrap
  Kids: design fabric and No.1 with nappy









- **SPECIFIC MARKS** Excellent body fit due to separate filling compartments
- Nr. 1-3 Design star High Visible ISO EN 20471
  4-XL Orange High Visible ISO EN 20471
- 20471
- Extra safe due to double crotch straps
- Attachment strap, graploop and nappy No.1Double liningSupersoft PVC foam

Size	Art. no.	Weight	Buoyancy
No 1 - Baby	20.420.000	5 -15 kg	30N
No 2 - Toddler	20.420.015	15 -20 kg	40N
No 3 - Child	20.420.020	20 -30 kg	40N
No 4 - Junior	20.420.030	30 -40 kg	50N





#### **BESTO BÉBÉ 100N**



#### **SPECIFIC MARKS**

- SPECIFIC MARKS
  Grabstrap
  Big Collar with extra buoyancy
  Reflection + signal whistle
  Collar fastenings
  Attachment for line
  Strong "nexus" buckles on the back
  Adjustable crotch strap
  Supersoft PVC foam



#### LIFEJACKET 100N "SPECIAL KIDS" STYLE

- Short model for more comfort
- Open backsideBuckles on backside



Size	Art. no.	Weight	Buoyancy
No 1	20.426.001	< 10 kg up to 80 cm	30N
No 2	20.426.002	10 - 20 kg up to 110 cm	30N





#### **TURN SAFE 150N**

Lifejacket 150N "High performance" style. The Besto Turn Safe Lifejacket is fully approved according the new ISO 12402-3 level 150N lifejackets for offshore activities.

This will change Lifejacket performance, which makes a new era in lifejacket design and will give the best performances for you and your child.

The Besto Turn Safe Lifejacket exceeds the new ISO test requirements. The Lifejackets are available in the sizes Baby, Toddler, Child and Adult. They have been tested to comply with the new ISO standards and the Besto Turn Safe Lifejackets have better performances then as per specifications according ISO 12402-3. The Besto Turn safe offers significant improvements on 3 key positions:

#### **Better Self Righting:**

The Besto Turn Safe Lifejacket self rights in an average of less then 2 seconds

#### Higher Freeboard of the mouth:

The Besto Turn Safe Lifejackets offers a freeboard of 8cm. Far more then under the old CE EN396 regulations. This means more safety.

#### Optimized Survival time:

The Besto Turn Safe Lifejacket has improved face plan and body angles (this means a far better in water position of the body and head), far better then under the old CE EN396 regulations and they even exceed the new ISO regulations. The head will be supported with the mouth clear of the water. This together with the improved self Righting and freeboard makes the survival time being optimized.

#### Featured Items:

Grab loop on collar.

Retro Reflective tapes.

150N - 300 cm<sup>2</sup>.

High Buoyancy collar to support head.

Rigid foam construction for better Turning Force.

Extra lifting loop on the front side.

High Buoyancy Single Chest block construction improves in water performance.

Easily adjustable belt and strong NEXUS buckle.

Durable 100% High-Vis PES outer clothing.

Securely fastened whistle.

Double Crotch Strap or Nappy.

#### Backside:

Silver grey lining open backside, makes the jacket very comfortable during warm days.

#### "THE SAFEST THERE IS"



Size	Art. no.	Weight	Buoyancy
Baby	20.424.114	0 - 15 kg	45N
Toddler	20.424.115	15 - 25kg	60N
Child	20.424.120	25 - 40 kg	75N
Adult	20.424.170	40+ kg	150N

Silver grey lining Open Backside "reflects heat"



# Inflatable Watersports & Leisure



#### **WE STAND FOR: QUALITY & SAFETY**

All Besto inflatable jackets are certified to the latest CE ISO standards. Besto inflatable jackets are fully manufactured in the EU and under one roof, from cutting the fabric to full assembly. Besto uses superior materials only. All jackets are 100% subjected to a pressure test and final inspection prior to leaving the factory to assure optimal quality and safety.



# **ASSORTMENT OF BESTO INFLATABLES.**BESTO, FOR EVERY PURPOSE, YOUR LIFEJACKET.



#### **RE-INSPECTION**

Make sure your jackets are being re-inspected once every other year (or yearly, if used professionally), by an authorized service station. This to make sure your jackets are in good working order. visit our website for the nearest inspection station)

#### **PRE-WEAR CHECK**

Periodically do a pre-wear check the general condition of the jacket and ensure that the jacket is operational. Also see page 45 and for replacement sets and for accessories, see page 44. Visit our website for videos how to do the pre-wear check. When in doubt, or if you have any questions, contact us. Do not perform any repairs on the jacket yourself but return the jacket to the dealer.






#### **BESTO INFLATABLE 100N JUNIOR**









**United Moulders** Pro Sensor/elite

#### **BESTO 100N JUNIOR LIFEJACKETS**

This jacket is specially designed for young children from appr. 15 kg. The Besto junior lifejackets are always automatically and manually activated. It has a very good body fit due to the soft outer cover and special neck shape. The collar is strapped onto the back, this gives a comfortable neck fit.

When inflated, by means of the 24 grams CO<sub>2</sub> cylinder, the jacket will have 100N buoyancy which gives a good neck/ head support, a good in water body position as well as a high Freeboard.

- All off the junior jackets come with standard a croto enhance performance and freeboard.
- Also standard on all the juniors is the integrated Sa
- The juniors are available in Red, Ocean Blue and P

#### **SPECIFIC MARKS**

- CO, Cylinder: Junior 24 gram
- Adjustable crotch strap (Junior)
- All Weather Cartridge

#### **EXTRA FEATURES PRO SERIES**

- Fleece Comfort Collar
- Clear Indicator Window/System
- Reflective panel cover



Art. no.	Description
20.427.021	Recharge Set Auto 100N
20.427.028	Recharge Set Auto CXI Pro 100N
20.427.050	Recharge Set 100N 'Elite' (for jackets from September 2018)

tch strap, to safety Harness. Pink		

Art. No.	Colour	Туре	System	Weight	Buoyancy
20.427.550	Red	Auto/Harness	UM MK5	15 - 40 kg	100N
20.427.549	Pink	Auto/Harness	UM MK5	15 - 40 kg	100N
20.427.548	Blue	Auto/Harness	UM MK5	15 - 40 kg	100N
20.427.010	Red	Auto/Harness PRO CXI	UM CXI Clear Indicator	15 - 40 kg	100N











#### **BESTO 165N LIFEJACKET**







#### **BESTO 165N LIFEJACKET**

The Besto 165N Inflatables has a good body fit due to the soft outer cover and special neck shape. The collar is strapped onto the back, that gives a comfortable neck fit. Also it gives a good neck/head support when the jacket is inflated.

The jacket comes standard with a crotch strap, to enhance performance and freeboard. The jacket is finished with edge binding all-around the jacket. It has a buoyancy of 165N. The jacket is available in various versions such as: automatic or manual, with or without safety harness and in various colours.





#### **SPECIFIC MARKS**

- CO<sub>2</sub> Cylinder: Adult 31 33 gram
- Adjustable crotch strap
- All Weather Cartridge

#### **ACCESSORIES**

Art. no.	Description
20.427.019	Replacementset UM MK5 165N Manual
20.427.020	Replacementset UM MK5 165N Auto

Art. No.	Colour	Туре	System	Weight	Buoyancy
20.427.539	Navy	Auto/Harness	UM MK5	40+ kg	165N
20.427.540	Red	Auto/Harness	UM MK5	40+ kg	165N
20.427.541	Black	Auto/Harness	UM MK5	40+ kg	165N
20.427.542	Black	Auto/Waistbelt	UM MK5	40+ kg	165N
20.427.546	Red	Auto/Waistbelt	UM MK5	40+ kg	165N
20.427.534	Green	Auto/Waistbelt	UML MK5	40+ kg	165N
20.427.543	Red	Manual/Harness	UM MK5	40+ kg	165N
20.427.547	Black	Manual/Harness	UM MK5	40+ kg	165N
20.427.538	Black	Manual/Waistbelt	UM MK5	40+ kg	165N
20.427.544	Red	Manual/Waistbelt	UM MK5	40+ kg	165N





#### **BESTO INFLATABLE 300N**







#### **BESTO 300N LIFEJACKET**

The Besto 300N Inflatable has a good body fit due to the soft outer coverand special neckshape. The collar is strapped onto the back, this gives a comfortable neck fit. Also it gives a good neck/ head

support when the jacket is inflated.

The jacket comes standard with a crotch strap to enhance performance and freeboard. The jackets are finished with edge binding all-around and has a floating capacity of 300N. The jackets are available in various versions, automatic or manual (option), with or without harness and in various colours.

The Besto inflatable 300N is a life jacket designed for use on open sea and in all weather conditions:

- extreme weather
- when wearing heavy protective waterproof clothes

The jacket remains safe and will rotate the body so that the airways are clear of the water.

#### **SPECIFIC MARKS**

- System: United Moulders MK5
- CO<sub>2</sub> Cylinder: 60 gram
   All Weather Cartridge



#### **ACCESSORIES**

Art. no.	Description
20.427.016	Recharge Set Auto 300N
20.811.229	ISO-Sprayhood

Art. No.	Colour	Туре	Weight	Buoyancy
20.427.190	Navy	Auto/Waistbelt	40+ kg	300N
20.427.199	Navy	Auto/Harness	40+ kg	300N
20.427.200	Red	Auto/Harness	40+ kg	300N
20.427.201	Black	Auto/Harness	40+ kg	300N
20.427.198	Black	Auto/Harness	40+kg / XXL 200cm Belt	300N





### COMFORT FIT: FROM 165N TO 180N







### MORE GAS- MORE BUOYANCY- ENHANCED PERFORMANCE







#### **BESTO COMFORT FIT 180N - HI-FINISHED - TAILORED DESIGN - 3D NECK**



#### **LIFEJACKET 165N "ENHANCED" STYLE**

A new designed Inflatable lifejacket, that meets the highest standards of Comfort. Superb comfort is achieved with an ergonomic design, light weight and soft flexible cover. The special back panel and adjustable backstrap ensures that the collar stays away from the neck and creates optimal weight/pressure distribution on the body for optimum comfort. It therefor makes the lifejacket very comfortable to wear, also when used for a prolonged period of time.

- Special designed a-symmetrical bladder makes sure the turning of the body goes quickly
- High freeboard
- Maximum chin and head support
- 180 Newtons buoyancy

#### **STANDARD FITTED WITH**

- A strong YKK burst zipper keeps the bladder in place.
- Soft D-ring harness loops for weight reduction.
- An adjustable crotch strap for optimum safety.
- · Reflective panels on outer cover for high visibility.
- Available in 5 colours
- Halkey Roberts V90000 system with Super bobbin

#### **SPECIFIC MARKS**

• CO, Cylinder 38 grams

#### **ACCESSORIES**

Art. no.	Description
20.427.045	Recharge set Auto HR 180N



Art. No.	Colour	Туре	System	Weight	Buoyancy
20.427.641	Black/Grey	Auto/Harness	HR V90000	40+ kg	180N
20.427.642	Black/Green	Auto/Harness	HR V90000	40+ kg	180N
20.427.643	Black/Blue	Auto/Harness	HR V90000	40+ kg	180N
20.427.644	Black/Pink	Auto/Harness	HR V90000	40+ kg	180N
20.427.645	Black/Orange	Auto/Harness	HR V90000	40+ kg	180N
20.427.651	Black/Grey	Auto/Waistbelt	HR V90000	40+ kg	180N







#### **BESTO COMFORT FIT PRO 220N & 300N**



#### **COMFORT FIT PRO "NEW UPGRADED DESIGN"**

A new enhanced design that meets the highest standards of:

#### **COMFORT**

- Superb comfort by means of the 3D ergonomic design
- Light weight and soft flexible cover
- Fleece neck
- Extra soft paddings on the backside of the cover
  Back panel with extra pull down of collar to ensure maximum neck comfort
- Strong stainless steel front buckle with extra side adjuster, for easy adjustment

#### **SAFETY**

- Special designed a-symmetrical bladder makes sure the turning of the body goes quickly
- High freeboard
- Maximum chin and head support
- 220 or 300N Newtons buoyancy

#### **STANDARD FITTED WITH**

- A strong YKK burst zipper keeps the bladder in place.
- Soft D-ring harness loops for weight reduction
  Crotch strap for optimum safety.
- Double reflective panels on outer cover for high visibility
- Fitted with Elite mechanism. Provided with Clear Indication UM system and "inspection window"
- UML Elite Cartridge

#### **SPECIFIC MARKS**

• CO2 Cylinder: 45 gram - 220N • CO2 Cylinder: 60 gram - 300N



#### **ACCESSORIES**

Art. no.	Description
20.427.054	Recharge set Auto UML Elite 220N
20.427.052	Recharge set Auto UML Elite 300N
20.811.229	ISO-Sprayhood

Art. No.	Colour	Туре	System	Weight	Buoyancy
20.427.661	Anthracite/Yellow	Auto/Harness	UML Elite	40+ kg	220N
20.427.671	White	Auto/Harness	UML Elite	40+ kg	300N
20.427.672	Anthracite	Auto/Harness	UML Elite	40+ kg	300N
20.427.673	Ice-Blue	Auto/Harness	UML Elite	40+ kg	300N





# BESTO ULTIMATE 300N BACKTOW

Besto introduces a complete new high-end lifejacket for 2022. One that can measure up with the highest demands in the market.

The lifejacket has been made through 3D design to create the best body fit possible.

The Besto Ultimate 300N Backtow has a well-balanced 300N lung. This makes sure that when you hit the water you turn quickly to a safe position.

#### **FEATURES:**

- Strong stainless steel interlock buckle for easy fitting
- Frontal side pulls for easy adjusting
- Extra soft inserts for optimal wearing comfort
- Removable leg strap
- Elite duo point indicator mechanism with inspection window to check the status of the lifejacket
- SOLAS light and sprayhood integrated





#### **EXTRA**

Unique patented BackTow Technology.

Turns the user in a sitting position with the front side to the surface when being towed. This keeps your mouth and lungs free from water.



Art. no.	Description
20.427.052	Recharge set Auto UML Elite 300N

Art. No.	Colour	Туре	System	Weight	Buoyancy
20.427.681	Black/Yellow	Auto/Harness	UML Elite	40+ kg	300N







#### **BESTO INFLATABLE HYDROSTATIC** 165N & 300N



#### **LIFEJACKET 165N/300N HYDROSTATIC STYLE**

The Besto Hydrostatic 300N is a life jacket designed for use on open sea and in all weather conditions:

- extreme weather.
- · when wearing heavy protective waterproof clothes. The jacket remains safe and will rotate the body so that the airways are clear of the water.

#### **FEATURES AND BENEFITS HYDROSTATIC**

- Unique hydrostatic valve that protects the water sensitive element.
- No activation on rain, spray, splashing water and humidity. Single-point indicator that shows that the inflator is ready for use.
- Cylinder seal indicator (green) ensures that the cylinder has not been used.
- Gas cylinder located inside the lifejacket bladder. Cylinder protected against corrosion. Reduces the risk of snagging.
- No service required on the inflator cap for 5 years.

#### **SPECIFIC MARKS**

- Hammar MA1 "Auto"
- CO<sup>2</sup> Cylinder: 31 33 gram 165N
   CO<sup>2</sup> Cylinder: 60 gram 300N
- Hydrostatic Harness Red

#### **ACCESSORIES**

Art. no.	Description
20.427.043	Recharge Set Auto 165N
20.427.032	Recharge Set Auto 300N
20.811.229	ISO-Sprayhood

#### **BESTO INFLATABLE PRO 300N SERIES**



#### LIFEJACKET INFLATABLE PRO "NEW DESIGN"

The Pro Style life jacket is upgraded with standard extra features as:

- Double crotchstrap for extra safety
- Highly durable, 250 grams nylon coated outer skin
- 2x Reflector strip on outer skin
- Pro-sensor mechanism
- With Clear Indication UM system and "inspection window", enabling you to check at a glance if the automat is 'stand-by'
  Tailored for extra comfort and provided with Fleece comfort collar
- YKK zipper closing of the cover
- CO<sub>2</sub> Cylinder, 60 gram 300N



Fleece collar



United Moulders Pro Sensor + window





Double crotchstrap

Art. No.	Туре	System	Weight	Buoyancy
20.427.601	Auto Harness yellow/black	Pro CXI	40+ kg	300N

#### **ACCESSORIES**

Art. no.	Description
20.427.027	Recharge Set Auto CXI 300N (for jackets up to September 2018)
20.427.052	Recharge Set 300N 'Elite' (for jackets from September 2018)
20.811.229	ISO-Sprayhood



### BESTO INFLATABLE FISHERMAN 165N/300N



#### LIFEJACKET 165N/300N "FISHERMAN" STYLE

Special series of Inflatable lifejackets for fishing and hunting made in green outer cover. With its short top to bottom length, the lifejacket is very comfortable to wear. The tailored waist is designed for maximum freedom of movement. The collar is provided with a special soft foam fabric for optimal comfort around the neck. The deep wade is especially developed for fishermen.



Fleece collar

#### **SPECIFIC MARKS**

- United Moulders MK5 Manual
- CO<sub>2</sub> Cylinder: 31 33 gram 165N
- CO<sub>2</sub> Cylinder: 60 gram 300N
- Green Cover
- · Crotch strap

Art. No.	Туре	System	Weight	Buoyancy
20.427.526	Manual/ Ex Harness Green	UM MK5 Manual	40+ kg	165N
20.427.527	Manual/ Ex Harness Green	UM MK5 Manual	40+ kg	300N

#### **ACCESSORIES**

Art. no.	Description
20.427.019	Recharge Set Manual 165N
20.427.022	Recharge Set Manual 300N

## LIFEJACKETS WITH PERSONAL INTERNAL AIS TRANSMITTER BEACON

A personal AIS (Automatic Identification System) device designed to be fitted to a lifejacket and assists in survivor recovery. An AIS device is specially designed as a personal AIS search and rescue locating device, it enables those on board of a (nearby) Vessel with and AIS chart plotter (a) to quickly and efficiently locate and retrieve a missing crew member.

#### **MOB1 RESCUEME (OCEAN SIGNAL)**

The world's smallest AIS MOB device with integrated DSC – the rescueME MOB1 from Ocean Signal. The MOB1 is compatible with even the most compact inflatable life-jackets\*.

The MOB1 is intended to be installed within the life-jacket\* and will activate automatically on inflation, sending the first alert within 15 seconds. The MOB1 is waterpoof to 10 metres.

The integrated strobe light ensures maximum visibility in low light conditions.

The MOB1 communicates with the vessel you have been separated from and other vessels in the vicinity (up to 5 miles range dependent on conditions). In an emergency rescueME MOB1 provides 2 methods of rapidly communicating your position, accurate to a few metres, back to the vessel, plus providing visual indication via its built in strobe light.

Once activated your MOB1 will transmit an alert to all AIS receivers and AIS enabled plotters in the vicinity. The integrated GPS ensures precise location is sent to your vessel and any others that may be assisting.

An additional feature of the MOB1, is its ability to activate the DSC alarm on your vessels VHF, alerting your crew to the situation.

- AIS (Automatic Identification System)
- Integrated DSC transmitter (Digital Selective Calling)\*
- 30% (typ) smaller than competitors
- Automatic activation
- Simple lifejacket integration\*\*
- 7 year battery life
- 24+ hours operational life
- 5 year warranty\*\*\*
- Fast accurate positioning



Art. no.	Description
20.427.080	RescueME MOB1. Retail blister set
20.427.081	RescueME MOB1. Factory fitted into lifejacket



#### **BESTO FERRY PASSENGER "SEALPACK" 120N MANUAL**



#### **BESTO FERRY PASSENGER SEAL PACK 120N MANUAL**

The Besto Ferry 120N Adult Inflatable is designed as a rescue device for emergency situations on inland and sheltered waters. To be used on board of inland ferries (tourist boats), open boats, tender, etc. This product is mainly intended as an additional rescue equipment and does not replace your personal life jacket (PPF).

your personal life jacket (PPE).

The compact design makes it ideal for storage in small spaces. Vacuum Sealpack: the vest is sealed airtight in a plastic bag, so that it is protected from external influences.

Attention: Service, the lifejacket has been sealed airtight in a bag and no external factors can influence the lifejacket. Therefor a yearly service of the product is not needed, only If periodical checks will be done by the user is (min. each year), to see If package/product is without damage and stored appropriately. If this is not the case, then it should be serviced immediately by an authorized station. The product has a lifespan of 10 years. Check the instruction on the product.

#### **SPECIFIC MARKS**

- Designed to cover marine markets for compact emergency Lifejackets
- Certified per ISO 12402-4
- Reflective tapes for extra visibility once inflated
- Provided with whistle
- Click buckle for quick closure & release
- Provided in transparent vacuumed pack

Art. No.	Colour	Туре	Weight	Buoyancy
20.810.701	Yellow	Manual-Waistbelt	40+ kg	120N
				24grams cylinder



# Accessories Watersports & Leisure



CE EN 13138-1: 2021

#### **BESTO SWIM AID**

The Besto Swim Aid is a Buoyant device for swimming instruction, to introduce the user to swimming strokes. Used for active users, Class B. The Besto Swim Aid has an ergonomic design, making sure that it is very comfortable to wear. It's easy and rapid to put on and adjust.









#### **SPECIFIC MARKS**

- High Visible 100% PES outer fabric
- Light PE foam
- Ergonomic design
- Freedom of movement
- 2 strong nexus buckles/ side adjusters
- Rapid donning and adjustment
- Size 15-19 with crotch strap

Art. no.	Туре	Weight	Buoyancy
20810503	Besto Swim Aid 15-19kg Orange PE	15-19 kg	20N
20810504	Besto Swim Aid 19-30kg Orange PE	19-30 kg	20N
20810513	Besto Swim Aid 15-19kg Pink PE	15-19 kg	20N
20810514	Besto Swim Aid 19-30kg Pink PE	19-30 kg	20N
20810523	Besto Swim Aid 15-19kg Hi-Viz Yellow PE	15-19 kg	20N
20810524	Besto Swim Aid 19-30kg Hi-Viz Yellow PE	19-30 kg	20N





#### **BESTO CAT, DOG & DOG DELUXE JACKETS**

This buoyancy aid is specially made for the safety our best friends. Buoyancy aids for dogs and for cats should withstand the extremes of nature's elements. They must be available in the right size and the right buoyancy so they fit your dog or cat perfectly and they can move freely and in all comfort. Our Buoyancy aids for dogs and for cats are made with high visible fabrics and therefor quickly detectable once they are into the water. Added with a grab loop on the back for rapid recovery out the water. Three strong nexus buckles for closure and an extra D-ring for attaching a leash. The buoyancy aids are available on different colours & models. This makes sure our four-legged friends are comfortable and safe near the water. Extra for the cat jackets: they are designed with a smaller neck opening and extra comfortable "belly" patch , so they have a perfect and comfortable fit specially for cats.

#### **CAT BUOYANCY AID**







#### **DOG STANDARD**







#### **DOG DELUXE**







#### **CAT BUOYANCY AIDS**

Size	Art. No. Yellow/Black	Art. No. Pink/Black
0-3 kg	20.429.201	20.429.211
3-7 kg	20.429.202	2.042.9112
7-10	20.429.203	20.429.213





#### **DOG BUOYANCY AIDS**

Size	Art. No. Orange	Art. No. Red	Art. No. Blue
0-4 kg	20.429.400	20.429.061	20.429.071
4-8 kg	20.429.000	20.429.062	20.429.072
8-15 kg	20.429.008	20.429.063	20.429.073
15-40 kg	20.429.015	20.429.064	20.429.074
40+ kg	20.429.040	20.429.065	20.429.075

Size	Art. No. Yellow/Black	Art. No. Lime/Black	Art. No. Pink/Black
0-4 kg	20.429.104	20.429.121	20.429.131
4-8 kg	20.429.105	20.429.122	20.429.132
8-15 kg	20.429.106	20.429.123	20.429.133
15-40 kg	20.429.108	20.429.124	20.429.134
40+ kg	20.429.110	20.429.125	20.429.135





#### **AUTOMATIC RESCUE HARNESS SET**

Inflatable man Overboard Rescue harness set.

- Automatically inflates
- Included 30m line
- In heavy duty protective wipe clean bag
- With lifting brackets (construction) to lift a person out of the water





Art. No.	Description	
20.140.108	Automatic Rescue Harness Set	
20.427.014	Spare Set - Auto 24 gram	

#### **BESTO LEISURE BUOY**



Art. No.	Description	Size
20.110.300	Orange with reflective strips	60 cm
20.110.301	Orange without reflective strips	60 cm
20.108.063	White with reflective strips	60 cm
20.108.061	White without reflective strips	60 cm
20.110.006	White with reflective strips, 2,5 kg	75 cm

**FLOATING LINE 30 MTR** 

Floatation line (30 m) with mounting clips.



Art. No.	Description	Length
20.810.387	Floating line Non-Kinking	30 m

#### **30 METER RESCUE LINE**



 $30\,meter$  floatation rescue line, including bag and steel bracket for rail connection (Coast Guard line).

Art. No.	Description	Length
20.140.000	Rescue Line	30 m

# FLOATING SAFETY LINE IN CONTAINER

Floatation line incl. plastic container for connection between life buoy.



Art. No.	Description	Length
20.122.000	6 mm Floating safety line in canepy (3KN)	30 m
20.122.001	6 mm Floating safety line in canepy (3KN) only for 60 cm leisure buoy	20 m
20.122.003	8 mm Floating safety line in canepy (5KN) LSA Code	30 m



#### **HORSE SHOE BUOY WIPE CLEAN**



Horse Shoe with replaceable Wipe Clean outer cover. Available in three colours, yellow, orange and white.

Art. No.	Description	Colour
20.107.003	Horse Shoe Buoy	Yellow
20.107.004	Horse Shoe Buoy	Orange
20.107.005	Horse Shoe Buoy	White

#### **SET HORSE SHOE BUOY WIPE CLEAN**



Complete set containing: Horse Shoe Buoy, SOLAS/MED approved light and steel bracket for rail connection

Art. No.	Description	Colour
20.102.003	Set Horse Shoe Buoy	Orange
20.102.004	Set Horse Shoe Buoy	Yellow
20.102.005	Set Horse Shoe Buoy	White

#### MAN OVERBOARD RESCUE SET



Complete man overboard Rescue set containing: Strong PVC "Wipe clean" cover container. Very durable and easy to clean with rail connection, buoy with 40 meter floatation line.

Art. No.	Description	Colour
92.402.247	Rescue Set	Silver
92.402.248	Rescue Set	Yellow
92.402.249	Rescue Set	White

#### **NEW: BESTO SAFETY KIT**



Safety Kit Set in Nylon outer container with rail connection. Set containing: Horse shoe bouy, 30 mtr line- SOLAS light

Art. No.	Description	Colour
20.121.181	Safety Kit - Buoy - 30m - Solas Light	White



## **Professional** Offshore, Marine & Industry

#### **OFFSHORE, MARINE, PROFESSIONAL INDUSTRY**

The Professional Industry has a number of applications for which Besto produces the personal rescue equipment:

#### **INLAND NAVIGATION**

Jackets for Inland Navigation, Passenger and Charter Navigation etc. They comply with the CE ISO 12402-4 part 3 and 4 (100N/150N).

The lifejackets and vests are designed to offer the best combination of safety, ease to use and storage. All Besto Inland Navigation lifejackets and vests have the European CE ISO mark of approval.

#### **WORK LIFEJACKETS AND VESTS:**

They comply with CE ISO 12402 50N, 100N, 150N, 275N. To be worn in all situations where the possibility of man-overboard is not fully excluded.

#### Two types:

- · Foam work vests.
- Inflatable work vests.

#### **MISCELLANEOUS**

- Group Rescue Equipment for Inland Navigation.
- Rescue lights for Inland Navigation and Shipping Industry.
  Day signals for Maritime sector.
- · Accessories.

#### **SOLAS, FOR SEA-GOING** SHIPS AND PLATFORMS

All SOLAS Besto lifejackets are in compliance with:

#### **EU: Marine Equipment Directive (MED)**

Besto's products are In compliance with the requirements of the Marine Equipment Directive 2014/90/EU, as amended.



#### **UK: Merchant Shipping Regulation (MSR)**

Besto's products are in compliance with the requirements of the Merchant Shipping (Marine Equipment) Regulations 2016, as amended.



Besto has Lifejackets for Ocean going ships, Drilling Platform and Windfarms that carry the European mark of approval, the steering wheel

#### MED/1.4 Liefjackets

Regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO

#### Testing standard

IMO Res. MSC.81(70), as amended









#### **BESTO WORKER 50N WIPE CLEAN**

Workvest buoyancy aid CE ISO 12402-5 50N approved with: strong Wipe 550 Clean smooth synthetic outer skin, dirt-repellent and easy to wipe clean. Oil and diesel resistant. The skin is designed for long time. Filling consist of a special super soft foam with closed cels for extra comfort. Easy adjust by means of two strong waist belts with nexus buckles. The special constructions ensures a long lifetime. Fitted with a crotch strap and panels of reflection on the front and back for extra safety.



#### Extra straps for:

- Portophone/VHF radio
- Solas light



Art. No.	Size	Weight	Buoyancy
20.412.072	XLarge	70+ kg	50N
20.412.082	XXLarge	70++ kg	50N

#### **BESTO WORKER 50N WIPE CLEAN**



#### **WORKER PLUS 50N**

## Enhanced worker jacket with:

- 4 frontal pockets with water drainage
- Hood and Shoulder Sleeves to protect
- against wind/rain
- Attachments for light and / or VHF radio
- EN471 Hi Visible Yellow
- Zipper and front buckle closure
- Equipped with 2 patches of Solas Tape
- Fabric: 235 DTEX Nylon coated fabric



#### Extra straps for:

- Portophone/VHF radio
- Solas light

Art. No.	Size	Weight	Buoyancy
On Request	XXLarge	70++ kg	50N

#### DINGHY ZIPPER HI-VIS ORANGE 50N

#### Specific Marks

- High frontal cut; gives more comfort and prevents the jacket from creeping up
- creeping up

  Fabric: 100% Polyester
- Orange: High Visible EN471
- PE Foam
- Strong nylon zipper



Art. no. Orange/Black	Size	Weight	Buoyancy
20.413.130	XSmall	30 - 40 kg	35N
20.413.140	Small	40 - 50 kg	40N
20.413.150	Medium	50 - 60 kg	40N
20.413.160	Large	60 - 70 kg	45N
20.413.170	XLarge	70+ kg	50N
20.413.180	XXLarge	70++ kg	50N



#### **BESTO INFLATABLE PROFESSIONAL STYLE 300N**







## LIFEJACKET 300N "PROFESSIONAL/ WORKER" STYLE

The Besto inflatable 300N is an ergonomic offshore working jacket and can be used with:

- Extreme weather
- When wearing heavy protective waterproof clothes. The lifejacket remains safe and will rotate the body so the airways are clear of the water. Besto offers different types of working jackets of 300N.

  • Wipe clean yellow
- Wipe clean orange
- Wipe clean black
- Fire retardant
- Fire retardant "Welder" to protect the eyes against welding.

#### **FIRE RETARDENT**

• Also available in 180N version.



"Fire Retardant"



"Fire retardant" Welders covers

#### **ACCESSORIES**

Art. no.	Description
20.427.035	Recharge Set Auto 180N
20.427.016	Recharge Set Auto MK5 300N
20.427.027	Recharge Set Auto CXI 300N (for jackets up to September 2018 < 2023)
20.810.240	Welders Cover Set Mu
20.810.092	Welders Cover Set La
20.427.052	Recharge Set 300N 'Elite'
20.427.031	Retail blisterpack United Moulders Lithium light

Art. No.	Туре	Colour	System	Weight	Buoyancy
20.427.121	Auto Harness Fire Retardant	Silver	UM-MK5	40+ kg	180N
20.810.134	Auto Harness Wipe Clean	Black	UM-MK5	40+ kg	300N
20.810.138	Auto Harness Wipe Clean	Orange	UM-MK5	40+ kg	300N
20.810.139	Auto Harness Wipe Clean	Yellow	UM-MK5	40+ kg	300N
20.810.143	Auto Harness Fire Retardant	Silver	UM MK5	40+ kg	300N



#### **BESTO ANTI STATIC & FLAME RETARDANT LIFEJACKET 275N**



A 275N lifejacket with anti static and flame retardant properties according to EN1149-3 / EN ISO14116-1. The anti static values of the materials prevent ignition due to electrostatic discharge. Therefore the jacket is suitable for use on or near water at explosive hazardous environments, for example refineries, chemical plants or on board of tankers.

#### **HI-VISIBLE YELLOW OPTION**

The cover is Hi-Visible and together with the reflective panels , this enhances the visibility of the wearer.

• Nylon Anti Static cover: soft and comfortable to wear

#### **EXTRA FEATURED ITEMS**

- Easy adjustable "Click Buckle"
- Removalbe crotch strap
- reflective panels on cover
- Attachment straps for portophone/VHF radio on cover
   Info label inside with EN1149-3 and ISO14166-1 markings
- · Anti static Velcro closing



Art. no.	Accessories
20.427.016	Rechargeset Auto MK5 300N

Art. No.	Туре	Colour	System	Weight	Buoyancy
20.427.620	ISO-Nylont	Yellow	UM-MK5	43+ kg	300N



# **SOLAS**



### **EU: MARINE EQUIPMENT DIRECTIVE (MED)**

Besto's products are In compliance with the requirements of the Marine Equipment Directive 2014/90/EU, as amended.



**UK:** MERCHANT SHIPPING REGULATION (MSR)
Besto's products are in compliance with the requirements of the Merchant Shipping (Marine Equipment) Regulations 2016, as amended.



Against the following regulations and test standards:

- Regulation of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO
- Testing standard: IMO Res. MSC.81(70), as amended

Therefor Besto can affix the Mark of Conformity on our approved equipment for example for: Ocean going ships (passenger & commercial navigation), Offshore and Drilling platforms/riggs




## ONE OF WORLDS MOST COMPACT & BEST PERFORMING SOLAS PASSENGER LIFEJACKET

- VERY COMPACT VOLUME & UNIQUE STOWAGE DESIGN
- 42% LESS IN VOLUME, 20% LESS IN BUOYANCY
- FOR UNIVERSAL & OVERSIZED USE UP TO 1.75 MTR CHEST SIZE GIRTH
- OPTIMUM COMFORT FIT/FREEDOM OF MOVEMENT
- SOLAS/MED APPROVED ACCORDING IMO MSC.81 (70) SOLAS/MED APPROVED ACCORDING IMO MSC.81 (70) PER LATEST AMENDMENT MSC 378 (93)



- 1. SOLAS light
- 2. Freedom of movement
- 3. Reflective panels
- 4. Strong nexus SS40 buckle, easy to adjust
- 5. Webbing-end retainer pocket
- 6. Crotch strap
- 7. High buoyancy foam collar
- 8. Whistle
- 9. High volume chest foam
- 10. Buddy line and retainer pocket
- 11. Lifting loop



2 Pcs. Compact & Several Easy storage designs 34 x 28.5 x 31 cm (LxWxH)



Webbingend retainer pocket



Clear pockets window for cabin & ID number



Lifting loop and crotch strap

Art. No.	Туре	Colour	Weight	Buoyancy
20.810.391	Passenger	Orange	43+ kg	145N
20.810.392	Crew	Yellow	43+ kg	145N





#### **SOLAS 2010 ADULT**

# A SAFE, COMFORTABEL & UNIQUE INDIVIDUALLY TO ADJUST "ONE SIZE FIT ALL" SOLAS (PASSSENGER) JACKET

- SELF-RIGHTING WITHIN 2-3 SECONDS
- HIGH FREEBOARD OF A MIN OF 140MM
- ONE SIZE FITS ALL DUE TO UNIQUE FEATURES
- FULLY PERSONAL ADJUSTABLE/OVERSIZED/ UP 1,75M CHEST GIRTH SIZE



- High buoyancy foam collar for extra head support
- 2. Fully adjustable straps for neck size opening
- 3. Extra buckle to enchance Safety
- Chest block construction improves in water performances and acts like a "wave barrier"
- 5. Strong nexus SS40 buckle, easy to adjust
- 6. Webbingend retainer
- 7. Reflective panels for hi visibility
- 8. Chin strap; to enchance freeboard
- 9. Whistle
- 10. Loop for several Light options
- 11. Lifting loop
- 12. Buddly line in pocket



Option crew jacket high visibility yellow



Option Clear pocket for cabin and ID numbers



Compact storage size 30 x 34 x 24cm(LxWxH)



Webbingend retainer

Art. No.	Туре	Colour	Weight	Buoyancy
20.427.626	Child	Orange	15-43kg	165N
20.427.627	Adult	Orange	43+kg	170N
20.427.628	Crew Adult	Yellow	43+kg	170N





#### **BESTO SOLAS 2010 INFANT**

#### **BESTO SOLAS 2010 CHILD**

## UNIQUE "INDIVIDUALLY TO ADJUST" INFANT & CHILD **SOLAS LIFEJACKETS**

#### **INFANT DESIGN: 0 - 15KG**

- Big collar volume: large head support
- Grabloop on collar
- Adjustable chin strap: high freeboard, individually to adjust
- Frontal zipper: easy donning
- SS40 click buckle: easy donning
- Double crotch strap: high freeboard/enhances safety
- Good in water performance: rapid turning/high freeboard
- Stowage: 52 x 10 x 30cm



#### **CHILD DESIGN: 15 - 43KG**

- Big collar volume: large head support
- Frontal opening: easy donning
   Adjustable chin & neck strap: high freeboard, individually to adjust neck size
- SS40 click buckle: easy donning
- Good in water performance: rapid turning/high free board
- Stowage: 30 x 30 x 25cm



#### **DESIGN OPTIONS**

#### **SELF RIGHTING:**

The Besto Solas 2010 lifejackets self rights in an average of 2-3 seconds (SOLAS requirement within 5 seconds)

#### **ADJUSTABLE CHIN STRAP:**

The Besto SOLAS EC 2010 lifejacket has an adjustable chin strap that can be adjusted to the wearers neck size, so it can be personalized.

The adjustable chin strap holds the head in the optimum position for maximum in water performance (even if the wearer becomes unconscious) and optimizes the survival time.

#### **OPTIONS/ACCESSORIES:**

- MED/SOLAS approved lights
- Cabin number and Assembly station markings

Art. No.	Size/type	Colour	Weight	Buoyancy
20.427.625	Infant	Orange	0 - 15kg	165N





#### **SOLAS/MED "WORKVEST" ADULT**



#### Workvest "Adult"


For working and evacuation purposes. Due to its tailored design, very useful as working jacket on oil riggs and other applications

#### **Extra features**

- Buddy line
- Neck support
- Jacket design
- Solas/Med approved
- Adult 43+ KG
- Due to compact design suitable as workvest and evacuation vest
- Neck and head supported by neck/collarbrace

#### **GROUP RESCUE AIDS**






Group Rescue aids enhances rescue teams to spot victims (collectively) . It also enables victims to support each other.

#### Group Rescue aids:

- Have a minimum buoyancy 100N per person
- The cover is made from an orange (wipe clean) synthetic material, which is easy the clean
- The cover can be replaced
  The group rescue add is fitted floatable grab handles which are easy to grab and hold on to
- A group Rescue aids does not replace a PFD



Art. No.	Туре	Colour	Weight	Buoyancy
20.810.069	Adult	Orange	43+kg	190N

Art. No.	Description	Size (L x W x H)	Color
20.435.001	Besto floating platform 4 persons	740x570x120mm	Orange
20.435.002	Besto floating platform 8 persons	1140x740x120mm	Orange





#### **BESTO SOLAS BUOY 2.5 & 4.5 KG**



Manufactured of durable, polyethylene. The buoy is guaranteed for long life! Certified under EC Directive 96/98 on Marine. Equipment and thus provided with the steering wheel label. Certified under the most recent IMO and SOLAS standards.

Art. No.	Туре	Diameter	Weight
20.110.100	Reflective	75cm	2.5kg
20.110.200	Reflective	75cm	4.5kg
20.1103.00	Reflective	60cm	2.5kg

## FLOATING LINE 30 MTR + LINE IN CANEPY



Art. No.	Description	Length
20.122.000	6 mm Floating safety line in canepy (3KN)	30 m
20.122.003	8 mm Floating safety line in canepy (5KN) LSA Code	30 m
20.810.387	Floating line Non-Kinking	30 m

#### **SOLAS LIFEBUOY LIGHT**



The Daniamant Lights are SOLAS/MED Approved. These Lifebuoy Lights are supplied with a unique mounting bracket, enabling easy fitting in all locations. These lights are using the latest advances in LED technology.

Durability Battery: 2 hours minimum Storage life (exp. Date): 5 years

Art. No.	Description
20.810.021	Lifebuoy Light Daniamant L160 + bracket
20.810.027	Daniamant L170 Professional

#### **LIFEBOUY CABINET + POLE**



The Lifebuoy-Box is made of high-quality ABS/PMMA plastics. It is made of full colored material, so the box is not only painted to avoid damages in the paint. The color is Red (RAL3000). The measurements are  $884 \times 857 \times 167$ mm. The box is manufactured according to ISO 18421 (norm for lifebuoy-boxes). It will be supplied with a wall bracket-set, but is also available as stand-alone version with a pole. Footplate on request.

Art. No.	Description	Туре
20.100.009	Besto lifebuoy cabinet for 75cm buoys	884 x 857 x 167 mm
20.100.011	Mounting bracket for lifebuoy cabinet pole	n.a.
20.100.010	Aluminium Pole for Besto lifebuoy cabinet	n.a.
20.100.012	Foot plate for aluminium Pole	n.a.





#### **BESTO TWIN CHAMBER SOLAS LIFEJACKET 220N OR 300N**







Premium Style Wipe clean



Eco Style

#### **LIFEJACKET 300N "OFFSHORE SOLAS" STYLE**

The Besto 300 Newton twin Chamber is an automatically operated lifejacket designed in accordance with the SOLAS/MED requirements and is a lifejacket designed for use on open sea and in all weather conditions:

- Extreme weather
- When wearing heavy protective waterproof clothes

#### **SPECIFIC MARKS**

- Cordura Cover and tailored design
- Zipper
- Twin Chamber
- Solas Safety Light
- Crotch Strap
- Harness
- Standard system: Halkey Roberts V90000 or United Moulders MK5
- CO<sub>2</sub> Cylinder: 60 gram 300N

#### **COVER OPTIONS**

• Wipe clean yellow or orange

**ALSO AVAILABLE IN 220N & JUNIOR**• Junior: 15 - 43 kg, 100N - 24 gram

• Adult: 43+ kg, 220N - 45 gram

#### **PREMIUM STYLE**

Prepared with AIS MOB1 and Sprayhood retro fitting

#### **ACCESSORIES**

Two recharge sets needed per lifejacket

Art. no.	Description
20.427.014	Set 24 gr. HR Auto- 100N
20.427.039	Set 45 gr. UM MK5- 220N
20.427.016	Set 60 gr. UM MK5- 300N
20.811.310	SOLAS Sprayhood M for Premium series
20.427.081	AIS- MOB1 Ocean Signal





Zipper



**Included harness** 



**Optional Hammar** Hydrostatic mechanism



Art. No.	Туре	Colour	System	Weight	Buoyancy
20.810.150	SOLAS Junior	Red	HR V90000	15-43	100N
20.810.164	SOLAS 220 Eco	Red	UML-MK5	43+	220N
20.810.232	SOLAS 300N Eco	Red	UML-MK5	43+	300N
20.810.159	SOLAS 300N Premium	Red	UML-MK5	43+	300N
20.810.217	SOLAS 300N Premium	Yellow- wipe clean	UML-MK5	43+	300N

# **Besto specials**

#### FALLARREST SOLAS Inflatable 300N Lifejacket



#### **ACCESSORIES**

Art. no.	Description
20.427.016	Set 60 gram UM MK5 Solas - 300N

#### LIFEJACKET

Art. No.	Туре	Colour	System	Weight	Buoyancy
20.810.225	Besto 300N SOLAS Fall Arrest Wipe Clean (lifejacket only)	Yellow	UML MK5	43+ kg	300N



#### **SUPERYACHT SOLAS INFLATABLE 300N LIFEJACKET**

#### **ACCESSORIES**

#### LIFEJACKET

Art. no.	Description
20.427.016	Recharge set UM-MK5 300N
20.811.229	Sprayhood L SOLAS

Art. No.	Туре	Colour	System	Weight	Buoyancy
20.811.263	SuperYacht SOLAS 300N Lifejacket	White	UM-MK5	43+	300N

# **Besto specials**

#### **FISHERMAN SAVER 300N SOLAS LIFEJACKET**



#### **ACCESSORIES**

Art. no.	Description
20.140.109	Hammar MA1 front part for fisherman pro 300N
20.140.110	Hammar MA1 back plate incl 60gr cylinder
20.427.081	AIS MOB1 RescueMe

#### LIFEJACKET

Art. No.	Туре	Colour	System	Weight	Buoyancy
20.811.228	Besto 300N Fisherman Wipe Clean	Orange	Hammar MA1	43+ kg	300N

New Ergonomic & Short design
The FishermenSaver 300N: a Safe, Durable and Ergonomical lifejacket for the professional Fishermen
• AIS MOB1 RescueMe prerpared







#### **HOW THEY OPERATE**

Inflatable lifejackets have an inflation valve either automatic or manual connected to an airtight bladder. To operate the manual valve you simply pull the toggle located at the bottom of the jacket downwards with a jerk and the bladder will start to inflate immediately. The automatic lifejacket will operate and inflate once it has been immersed in the water for three seconds. An automatic lifejacket can also be operated manually and both types can be inflated orally by the tube. The oral tube can also be used to deflate the lifejacket. N.B! After gas inflation the lifejacket must be rearmed. Inside the lifejacket you will find instructions as to which rearming kit to use (see also page 53). Instructions to complete the rearming procedure are included with our rearming kits.

All Besto lifejackets are fitted with a cylinder safe retainer which will prevent the cylinder from unscrewing itself. See also page 52 for retrofit/aftermarket cylinder retainers.



#### Closin



Stainless steel Buckle Harness Type



Plastic Buckle Waistbelt Type

#### Standard mechanisms



United Moulders standard mechanism MKS



Halkey Roberts mechanism

## Clear indicator mechanisms



United Moulders Clear Indicator CXI mechanism



United Moulders Pro Sensor/Elite

#### Auto "bobbins"



**United Moulders Cartridges** 



Halkey Roberts auto bobbin

#### Hydrostatic mechanism



Hammer hydrostatic inflator MA1 "auto"
See www.cmhammar.co



#### PRE WEAR CHECK LIFEJACKET

Before use check if one of the (green) indicators below is not missing, if one of the indicators indicates RED, if the cylinder is corroded or penetrated, or the expiry date is exceeded, then the jacket is not operational anymore!

Make sure the jacket is checked or serviced periodically by an authorized station.

#### UM MK5, STANDARD HALKEY ROBERTS STANDARD



- always check cylinder for penetration and make sure cylinder is hand-tightened
- 2 check if the green manual indication is still on.
- 3 check if the green indication for water activation is still on/visible.
- Check rubber band of the cylinder Safe is fitted



#### **MANUAL SYSTEM:**

Check if the green manual indication is still on and make sure the cylinder is not penetrated and hand-tightened.

## UM CXI/PRO SENSOR/ELITE INDICATOR



- Check if both indicators indicate green and make sure cylinder is hand-tightened
  - Check rubber band of the cylinder Safe is fitted



#### **MANUAL SYSTEM:**


Check the single green indicator and make sure cylinder is hand-tightened.

#### **UNITED MOULDERS CARTRIGDES**

Replacement date: on the cartrigde a maximum replacement date is printed. Always replace before this date! From the moment the jacket is in use the recommended replacement interval is:

- Normal/ leisure use: every 2 years
- Professional use: every year







Art. No.	Description
20.427.012	CXI "Pro Sensor"
	Cartridge



Art. No.	Description
20.425.120	CXI "Elite"
	Cartridge

#### HAMMAR MA1 HYDROSTATIC





- Check if indicator is green.
- 2 Check if date is not expired.

#### **HALKEY ROBERTS SUPER BOBBIN**

Max storage / exp. date: On the Bobbin a production date and a max. expiry date are printed

- Production date: the top print is the production date in month/day/year.
   Add 5 years on this printed date for the maximum replacement date.
- The lower print is the max. expiry date in month/year. Replace immediately when expired!

Replacement interval when jacket in use: From the moment the jacket is in use, the recommended replacement interval is:

- Normal/ leisure use: every 2 years
- Professional use: every year



Art. No.	Description
20.435.111	HR Bobbin



#### **SOLAS LIGHTS FOR LIFEJACKETS**



The lights are alkaline or lithium powered and constructed for easy attachment and replacement.

· Light intensity min. 0,75 cd. Light duration min. 8 hours • Battery Life 5 years

- » Approved according European standards on Marine Equipment and therefore fitted with the CE Steering Wheel mark of approval. » Approved according latest Imo and Solas requirements.

Art. No.	Description
20.810.008	Daniamant W3 Lithium light
20.810.002	Daniamant W4A Alkaline light
20.810.010	United Moulders Sealight Lithium
20.427.044	Retail blisterpack Daniamant W4A Alkaline light
20.427.031	Retail blisterpack United Moulders Lithium light

#### **CYLINDER SAFE RETAINER**



A cylinder safe secures the tightness of the cylinder. Adding a cylinder safe prevents the cylinder from unscrewing itself.

Art. No.	Description
20.427.060	UML Retro Fit Cylinder Safe Pack
20.427.061	HR Retro Fit Cylinder Safe Pack (for jackets after DOM 2020)

#### **ISO SPRAYHOOD**

Retro fit ISO-SOLAS approved Sprayhood



Art. No.	Description
20.811.310	Sprayhood M SOLAS
20.811.229	Sprayhood L ISO- SOLAS

**SPRAY HOOD (NON-ISO)**Seperate Sprayhood in pouch which can be attached to waistbelt.



Art. No.	Description
20.427.029	Sprayhood

#### **DECKLINES**



Art. No.	Description
20.423.006	6m
20.423.008	8m
20.423.010	10m
20.423.012	12m

Made of 2-ton strap (tensile strength). Ends provided with eyes.

#### **SEPARATE CROTCHSTRAP**



A crotchstrap gives more freeboard of the airways (see pictures).
Can be placed on all Besto Inflatables.

Art. No.	Description
20.427.030	Seperate crotchstrap



#### **BESTO LIFELINES**





#### **Besto standard Lifeline**

- Equipped with stainless steel AISI 316 "selfclosing" hooks
  - ✓ Max. opening hook 13mm
- Flexible 25mm polyamide webbing
   ✓ colour black/orange striping
- Max. length 185 cm
- In accordance with EN ISO12401:2009
- Max. 2000 kg breaking strength



Art. No.	Description
20.613.101	Safetyline with 1 hook + 1 loop
20.613.102	Safetyline with 2 hooks
20.613.103	Safetyline with 3 hooks



#### Besto elastic Double Action lifeline

- Equipped with "Double Action" stainless steel AISI 316 hooks
- ✓ The hook is selflocking (locks automatically)✓ Max. opening hook 15mm
- Flexible elastic 25mm polyamide 'elastic" webbing

  ✓ elastic version
- ✓ color black/orange striping.
- Max. length 185 cm
- Equipped with overload indicator
- In accordance with EN ISO12401:2009
- Max. 2000 kg breaking strength
- Complies with ISAF Offshore rules

Art. No.	Description
20.613.111	Elastic Safetyline with 1 Double Action hook + 1 Loop
20.613.112	Elastic Safetyline with 2 Double Action hooks
20.613.113	Elastic Safetyline with 3 Double Action hooks



#### Besto elastic High Performance lifeline

- Equipped with lightweight Aluminum "High Performance" hooks
  - ✓ The hook has an extra large opening of 26mm
- ✓ The hook is selflocking (locks automatically)
- ✓ The hook is easy to operate with 1 hand
- Flexible 25mm polyamide "elastic" webbing
- ✓ Elastic version
- ✓ Color black/orange striping
- Max. length 185 cm
- Equipped with overload indicator
- In accordance with EN ISO12401:2009
- Max. 2000 kg breaking strength
- Complies with ISAF Offshore rules

Art. No.	Description
20.613.121	Elastic Safetyline with 1 High Performance Hook + 1 Loop
20.613.122	Elastic Safetyline with 2 High Performance Hooks
20.613.123	Elastic Safetyline with 3 High Performance Hooks



#### **INFLATABLE ACCESSORIES**



#### **ACCESSORIES INFLATABLE**

#### United Moulders



20.427.021	Auto set MK5	100N	24g	Junior
20.427.020	Auto set MK5	150N/165N	33g	Adult
20.427.035	Auto set MK5	180N/190N	38g	Adult
20.427.039	Auto set UM	220N	45g	Adult
20.427.016	Auto set MK5	275N/300N	60g	Adult
20.427.019	Manual set MK5	150N/165N	33g	Adult
20.427.022	Manual set MK5	275N/300N	60g	Adult

United Moulders (MK5) "All Weather" (standard) Sets

United Moulders CXI

#### United Moulders (CXI) "Clear Indicator" (Window) Pro Sensor < Sept. '18



20.427.028	Auto set CXI	100N	24g	Junior
20.427.026	Auto set CXI	150N/165N	33g	Adult
20.427.038	Auto set CXI	180N/190N	38g	Adult
20.427.041	Auto set UM-CI	220N	45g	Adult
20.427.027	Auto set CXI	275N/300N	60g	Adult
20.427.034	Manual set CXI	150N/165N	33g	Adult
20.427.033	Manual set CXI	275N/300N	60g	Adult

**United Moulders Elite** 

#### United Moulders "Elite" Dual Point Indicator > Sept. '18



20.427.050	Auto set Elite	100N	24g	Junior
20.427.051	Auto set Elite	150N/165N	33g	Adult
20.427.053	Auto set Elite	180N/190N	38g	Adult
20.427.054	Auto set Elite	220N	45g	Adult
20.427.052	Auto set Elite	275N	60g	Adult

Halkey Roberts

#### Halkey Roberts Sets



20.427.015	Auto set HR	150N/165N	33g	Adult
20.427.042	Auto set HR	220N	45g	Adult
20.427.017	Auto set HR	275N/300N	60g	Adult
20.427.045	Auto set HR	180N	38g	Adult

Hammar MA1

#### Hammar MA1 Hydrostatic Sets



20.427.043	CO₂ Cylinder	150N/165N	33g	Adult
20.427.032	CO₂ Cylinder	275N/300N	60g	Adult

Spare parts







20.427.013

20.435.111	Auto Bobbin	Halkey Robers (1)		
20.425.115	Auto Cartridge	UML "All Weather" (2)		
20.427.012	Auto Cartridge		UML "Pro Sensor"	(3)
20.425.120	Auto Cartridge	UML "Elite" (4)		
20.425.004	CO <sub>2</sub> Cylinder	100N	24g	Junior
20.425.005	CO <sub>2</sub> Cylinder	150N/165N	33g	Adult
20.427.040	CO <sub>2</sub> Cylinder	180N/190N	38g	Adult
20.425.006	CO <sub>2</sub> Cylinder	220N	45g	Adult

CO<sub>2</sub> Cylinder

275N/300N



## pprox LIFESAVER SINCE 1920 pprox

## Chosen by professionals



Police (tactical) Lifejackets





Contact us for more information

≈ LIFESAVER SINCE 1920 ≈

# OUR DREAM: KEEPING EVERYONE SAFE ON THE WATER



www.bestolifesaver.com

Komeet 13 • 8448 CG Heerenveen • Netherlands • Tel +31 − 522 278 14 • Fax +31 − 522 278 149 info@bestolifesaver.com • www.bestolifesaver.com • **bestoredding** • **BestoLifesaver**